

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	563	(al or aluminum) near (ge or germanium) and (al or aluminum or ge or germanium) near (seal\$4 or coat\$4 or solder\$4 or braz\$4 or film or layer or adhesive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:59
L2	2	1 and diffusion near bond\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:17
L3	81	(al or aluminum) and (ge or germanium) and (al or aluminum or ge or germanium) near (seal\$4 or coat\$4 or solder\$4 or braz\$4 or film or layer or adhesive) and diffusion adj bond\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:46
L4	0	3 and (friction near (agitation or plug or plunge or stir or rivet\$4) or stir adj weld\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 11:00
L5	74	3 and (sr or strontium or ag or silver or si or silicon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:47
L6	38	5 and (sr or strontium or ag or silver or si or silicon) near (al or aluminum or ge or germanium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:56
L7	4	3 and (ge or germanium) near ("% or percent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:57
L8	0	7 and (al or aluminum) near ("% or percent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:57

L9	3	7 and (ag or silver) near ("% or percent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:58
L11	375	1 and (sr or strontium or ag or silver or si or silicon) near (al or aluminum or ge or germanium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:56
L12	47	1 and (ge or germanium) near ("% or percent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:57
L13	23	12 and (al or aluminum) near ("% or percent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:57
L14	6	13 and (ag or silver) near ("% or percent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:58
L15	7	1 and plasma near spray\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 10:58
L16	367	1 and (seal\$4 or coat\$4 or solder\$4 or braz\$4 or film or layer or adhesive) near (thick\$6 or inch or inches or milliinch or mil or mils or mm or millimeter or micron or micrometer or ".mu.m" or "mu.m")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 11:00
L17	0	1 and (friction near (agitation or plug or plunge or stir or rivet\$4) or stir adj weld\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 11:00

L18	30	16 and (seal\$4 or coat\$4 or solder\$4 or braz\$4 or film or layer or adhesive) near (inch or inches or milliinch or mil or mils or mm or millimeter or micron or micrometer or ".mu.m" or "mu.m")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 11:01
-----	----	---	---	----	----	------------------